
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES



	IVISION OF OIL, G	oro, raid illinia	*	5. Lease Designation and S	
APPLICATION F	OR PERMIT TO	O DRILL, DEEPE	N, OR PLUG BAC	K 6. If Indian, Allottee or T	ribe Name
Type of Work DRILL Type of Well		DEEPEN []	PLUG BACK	7. Unit Agreement Name	
Oil Gas Well Name of Operator	Other Oil	+ DAS	Single Zone Multiple Zone	8. Farm or Lease Name	/ (1)
~ · · · ·	INUES FME	IT INC.	4	9. Well No. #1	2
210N 700E.	A. CENTERI	rille, UtAL	84014	10. Field and Pool, or Wild	cat
At surface	831' FE	L+ 1822' F		11. Sec., T., R., M., or Bli and Survey or Area SEC 27, 7/4/	
Distance in miles and dir	600 to 2000			12, County or Parrish 13	. State
/ mile Noe		ENTON POST OH	 ICE	CACHE.	Ut:
Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drlg, line	021	16. No	. of acres in lease 17.	No. of acres assigned to this well	
Distance from proposed le to nearest well, drilling, or or applied for, on this lea	completed,	19. Pro	posed depth of the Good for the	Rotary or cable tools Rotaly 22. Approx. date work w	
Elevations (Show whether			5alt Lake	22. Approx. date work w	ill start*
TTTO a	NGRADED GL	PROPOSED CASING AND	CEMENTING PROGRAM		
Sing of Vol.					_
Size of Hole	Size of Casing	Weight per Foot	Setting Depth	Quantity of Cement	
12 14	10 3/4 12 14 the	with Deill	ing Mud to 1	FROM FOR T 00'. Run 100'	
12 4 1. Dull 1 55 CASING 2. NU AN 71PE. B	10 3/4 12/4" Hole AND CEMEN 10 PRESURE 10 To Te 1	40.48 with Drilling it to suefa test 80P MANUAL, NL	ing Mud to 1 ICE. Stack price t ACME Zental.	From top t	law Suc
12 /4 1. Duil 1 55 CASING 2. NU AN 7:PE. B 3. Test pipe 4. DLill 9 1/8 CASING AND 5. DECITION A ZOOO'. ABOVE SPACE DESCRI	10 3/4 12/4" Hole AND CEMEN A PRESURE OP to BE RAMS DAILY Hole to BE PROPOSED PROGR	With Drilling to deep to Both	ing Mud to / ICE. Stack prior to ACME RENTAL. EET DEEPENDING Hom. Afhok At the	FROM TOP TOO'. Run 100' Localing out be ON formation, APRI 0 1981 In present productive zone and promessured and DNUSION Opens.	SEA?
12 /4 1. Duill 1 55 CASING 2. NU AM PIPE. B 3. Test pipe 4. DLill 9 % CASING AND CASING AND CASING AND ABOVE SPACE DESCRIPT Cities zone. If propagal is	10 3/4 12/4" Hole AND CEMEN A PRESURE OP to BE RAMS DAILY Hole to BE PROPOSED PROGR	With Drilling to deep to Both	ing Mud to / ICE. Stack prior to ACME RENTAL. EET DEEPENDING Hom. Afhok At the	FROM FOR TOO' OO'. Run 100' In diching out the on formation, APRI 0 1981	SEA?
Duill 55 CASING 2. NU AM PIPE. B 3. Test pipe 4. Daill 978 CASING AND CASING AND DECITION A ZOOD ABOVE SPACE DESCRIPTIVE zone. If propagal is venter program, if thy.	10 % 2 % Hole AND CEMEN A PESURE OP to BE RAMS DAILY Hole to BE PROPOSED PROGR to drill on deepen direct State office use)	With Drille of the saefalest BOP MANUAL, NL AS possible. Loo to 700' Element to Both Am: If proposal is to decionally, give pertinent data	ing Mud to / ICE. Stack prior to ACME RENTAL. EET DEEPENDING Hom. Afhok At the	APR1 0 1981 The productive zone and promeasured and DIL, GAS & MININ	SEA?

See Instructions On Reverse Side

** FILE NOTATIONS **

DATE: Our	129,198	3/	· ·		
OPERATOR:	rilles In	westne	nt Inc	*	
WELL NO:		1			
-	ec. <u>27</u> t	. <u>14N</u> r	. <u>/W</u> Cou	inty: <u>Cac</u>	he
File Prepared	· M		Entered on N.1	.D: //	
Card Indexed:			Completion She	eet:	
	AP	I Number	43-005	- 30012	
CHECKED BY:					
Petroleu	m Engineer:				
		· · · · · · · · · · · · · · · · · · ·			
Director	: 012	mle .	2-3 7		
		1			
Administ <i>oth</i> /	rative Aide: <u>(</u> Noll Faa	-3 spaces	lokon In	drys. fok	on any
APPROVAL LETT	ER: W/w	July 1			
Bond Requ	uired:	Hilling	Survey Plat	: Required:	7
Order No			O.K. Rule (2-3	
Rule C-3	(c), Topograph within a	ic Exception 660' radius	- company own of proposed si	us or controls te	acreage
Lease De	signation N	2/	Plotted on	Мар	
	App	oroval Lette	r Written	/ /	
Hot Line		oroval Lette	. —	<u>V.</u> /	

DrillCo Investment Inc. 210 N. 700 Hast Centerville, Utah 84014

Re: Well No. Lower #1 Sec. 27, T. 14N, R. 1W Cache County, Utah

Insofar as this office is concerned, approval to drill the above referred to o/g well is hereby granted in accordance with Rule C-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

MICHAEL T. MINDER - Petroleum Engineer Office: 533-5771 Home: 876-3001

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-005-30012.

Sincerely,

DIVISION OF OIL, GAS, AND MINING

Clean B. Feight Director

CBF/ko



DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

NAME OF COMPANY: Drillco Inv	vest. Inc.		
WELL NAME: Lower #1			
SECTION SE NE 27 TOWNSHIP	14N RANGE	1W COUNTY_	Cache
DRILLING CONTRACTOR R &	B Tolman Const	•	
RIG # 1			
SPUDDED: DATE 7-7-81			
TIME 5:00 p.m.			
How rotary			
DRILLING WILL COMMENCE	<u> </u>		
REPORTED BY Randy Tolman			
TELEPHONE #801-292-6938 (hm) 2	292-2601 (off.)		
DATE 7-7-81		SIGNED_DB	

Section 27 TIAN, PIW

	1		NE Cor.
			1822'
Scale 1"=1000	·		SE140 F NE14
7 - 7000			
		-	

SURVEUOR'S CERTIFICATE

I, Erwin U. Moser, residing in Logan, Cache County, Utah, do hereby certify that I am a Registered Professional Engineer and Land surveyor and I have made a survey to locate the site of a proposed well, said site being discribed as located South 1822 feet and West 831 feet from the NE corner of Section 27, T14N, R1W of the SLB & M., as shown on this map.

Erwin U. Moser

Registered Professional Engineer and Land Surveyor. Utah License No. 46

Survey requested by Randy Tolman for Frank P. Painter



STATE OF UTAP LATURAL RESOURCES & ENERGY SO Gos & Mining upon Millionne (il più si emble el Reinno di Executivo II el to Olego Bi Felght Divisor II leutor

Tice boll**ang • Samilaké City, UT 84114 • 801** 583 570

December 29, 1981

100 East 100 East Letter 11e, Utah 84104

Re: Well NO. Lower #1
Sec. 27, T. 14N, R. 1W
Cache County, Utah
July 1981- November 1981)

Gentl∈men:

reports for the months indicated above on the subject well.

Rule C-22, General Rules and Regulations and Rules of Practice and Procedure, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form DGC-1B, (U. S. Geological Survey Form 9-331) "Sundry Notices and Reports on Wells", or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your prompt attention to the above will be greatly appreciated.

Very truly yours.

DIVISION OF OIL, GAS AND MINING

Cari Furse

Clerk Typist

Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Cleon B. Feight, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

March 16, 1982

Drill Co. Investment Inc. 210 North 700 East Centerville, Utah 84104

Re: Vell No. Lower #1
Sec. 27, T. 14N, R. 1W.
Cache County, Utah
(December 1981- February 1982)
SECOND NOTICE

Gentlemen:

Our records indicate that you have not filed the monthly drilling reports for the months indicated above on the subject well.

Rule C-22, General Rules and Regulations and Rules of Practice and Procedure, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGC-1B, (U. S. Geological Survey Form 9-331) "Sundry Notices and Reports on Wells", or on company forms containing substantially the same information. We are enclosing forms for your convenience.

** If we do not hear from your office within fourteen days, this file will be turned over to the attorney at the Division of Oil, Gas, and Mining for legal action.


Thank you for your cooperation relative to the above.

Very truly yours,

DIVISION OF OIL, GAS AND MINING

Cari Furse Clerk Typist

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OUR GAS AND MINING



DIVISION OF OIL, GAS, AND MINING	5. LEASE DESIGNATION AND SERIAL NO.
SUNDRY NOTICES AND REPORTS ON W (Do not use this form for proposals to drill or to deepen or plug back to a Use "APPLICATION FOR PERMIT—" for such proposals.)	ELLS different reservoir.
WELL GAS OTHER	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR	8. FARM OR LEASE NAME
3. ADORRES OF OPERATOR	Lower
210No. 700 Ea. Cent. Uta	9. WELL NO.
4. LOCATION OF WELL (Report location clearly and in accordance with any State req. See also space 17 below.)	uirements.* 10. FIELD AND POOL, OR WILDCAT
Sec 27 TIGN RIW	11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA
	827 THN RIW
14. PERMIT NO. 15. BLEVATIONS (Show whether DF, RT, CR, et	
(3700 + or	- Cache let
Check Appropriate Box To Indicate Nature of	Notice, Report, or Other Data
NOTICE OF INTENTION TO:	SUBSEQUENT ESPORT OF:
TEST WATER SHUT-OFF PULL OR ALTER CASING W	ATER SHUT-OFF REPAIRING WELL
	ACTURE TREATMENT ALTERING CASING
	SOUTING OR ACIDIZING ABANDONMENT*
(Other)	Other) (NOTE: Report results of multiple completion on Well (Completion or Recompletion Report and Log form.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, proposed work. If well is directionally drilled, give subsurface locations and nent to this work.) *	and give pertinent dates, including estimated date of starting any measured and true vertical depths for all markers and zones perti
Decause of God weath	Eu in foot access
De location we will mo	et be worthing
on aux una.	eter part of april,
depending on spring u	veather. We have
not andled on loca	
We then plan to be	
oug, grown	ull notify you before
we do suy feather Work	ek,
18. I hereby cartify that the foregoing it true and correct	
SIGNED SHOOT Alme TITLE SHE	DATE 3/16/82
(This space for Federal or State office use)	
CONDITIONS OF APPROVAL IF ANY:	DATE



4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

March 7, 1983

Drillco Investments 210 North 700 East Centerville, Utah 84104

Re: Well No. Lower # 1
Sec. 27, T. 14N, R. 1W.
Cache County, Utah
(April 1982- February 1983)

Gentlemen:

Our records indicate that you have not filed the monthly drilling reports for the months indicated above on the subject well.

Rule C-22, General Rules and Regulations and Rules of Practice and Procedure, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGC-1B, (U.S. Geological Survey Form 9-331) "Sundry Notices and Reports on Wells", or on company forms containing substantially the same information. We are enclosing forms for your convenience.

We will be happy to acknowledge receipt of response to this notice if you will include an extra copy of the transmittal letter with a place for our signature, and a self addressed envelope for the return. Such acknowledgement should avoid unnecessary mailing of a firm second notice from our agency.

Your prompt attention to the above will be greatly appreciated.

Respectfully,

DIVISION OF OIL, GAS AND MINING

ari Turse

Cari Furse

Well Records Specialist

CF/cf Enclosure

IATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OUR CAR AND MINUS

DEPARTN	ENT OF NATURAL RESOL	IRCES rev	rse side)
DIVISIO	ON OF OIL, GAS, AND MIN	ING TO	5. LEASE DESIGNATION AND SERIAL NO.
CUNDOV NOT	CEC 4 NO DEDOORS O		E CONELT!
SUNDRY NOTI	CES AND REPORTS O	N WELLS (2) Ck to a different reservoir.	6. IS INDIAN, ALLOTTER OR TRIBE NAME
Use "APPLICA"	FION FOR PERMIT—" for such pro		⊋ od 1
OIL GAS OTHER			7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR		Live Live	S. PARM OR LUASE, NAME
3. ADDRESS OF OFERATOR	N. O. I.	Same and A	LOWER #1
20000 200En	Centi Uti	84014	+1
4. LOCATION OF WELL (Report location cle See also space 17 below.) At surface	- 01.0	A A	10. FIELD AND POOL, OR WILDCAT
See 27 T14N	RIW Col	e County	11. SEC., T., R., M., OR SLE. AND
		O	See 27, TI4N, RIW
14. PERMIT NO.	15. BLEVATIONS (Show whether DF, a	4500 (+ -)	12. COUNTY OR PARISH 18. STATE
16. Check App	propriate Box To Indicate Na	ture of Notice, Report.	or Other Data
NOTICE OF INTENT			SERQUENT REPORT OF:
TEST WATER SHUT-OFF	JLL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
	ULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING
	BANDON*	(Other) COUNTY	WARE WELL
(Other) OFER	Ations Susp.	(Note: Report re Completion or Rec	suits of multiple completion on Well ompletion Report and Log form.)
17. DESCRIBE PROPOSED OR COMPLETED OPER proposed work. If well is direction nent to this work.)	ations (Clearly state all pertinent ally drilled, give subsurface location	detalis, and give pertinent d ns and measured and true v	ates, including estimated date of starting any ortical depths for all markers and zones perti-
•	i (0)	\bigcirc \bigcirc \bigcirc	0 21 J. Re
WE there to	sted well a	rd dates	mured it to
a "dry Hos	Ze", Land	owner u	moned it to Be
	4 4 9	. 1.	
Use God Sine	elle Ellotae le	see. We	gue Now
Contacting H	Le Bivision	of Woln	Rights to
accomplish the	is. There	is wo	Rights to work needed on
the well to	Tuan it is	to a	water well.
18 1 hands forth day of			
signab Allay (M)	TITLE C	es,	DATE 3/07/83
(This space for Federal or State office	use)		
APPROVED BY CONDAIL VS OF APPROVAL, IF AN	Y:		DATE



Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Cleon B. Feight, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

May 25, 1983

Drillco Investment, Inc. 210 North 200 East Centerville, Utah 84014 Randy Tolman

> Well No. Lower # 1 See. 27, T. 14N, R. 1W. Cache County, Utah

Dear Mr. Tolman,

I received your letter of March 17, 1983, stating that this well was dry and to be turned over to a water well. Thank you for informing our office of this; however, in order to complete our files, I need you to complete the enclosed form.

This letter is to advise you that the Well Completion or Recompletion Report and Log for the above mentioned well is due and has not been filed with this office as required by our rules and regulations.

Please complete the enclosed Form OGC-3, in duplicate, and forward them to this office as soon as possible.

We will be happy to acknowledge receipt of response to this notice if you will include an extra copy of the transmittal letter with a place for our signature, and a self addressed envelope for the return. Such acknowledgement should avoid unnecessary mailing of a second notice from our agency.

Your prompt attention to the above will be greatly appreciated.

Respectfully,

DIVISION OF OIL, GAS AND MINING

Cari Furse

Well Records Specialist

CF/cf Enclosure

SUBMIT IN DU (See other instra STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

on reverse side)

DIVISION OF OIL, GAS, AND MINING 6. IF INDIAN, ALLOTTEE OR TRIBE NAME WELL COMPLETION OR RECOMPLETION REPORT AND LOG* 1s. TYPE OF WELL: DAY Other TO BE WATER WE 7. UNIT AGREEMENT NAME b. TYPE OF COMPLETION: WELL WORK 2. NAME OF OPERATOR 10. FIELD AND POOL, OR WILDCAT SEE 27. T 14N RIW CACL County DIVISION OF 1899 FNC 4 831 At top prod. interval reported below SZ7 Sene At total depth 1475 DATE ISSUED 43-005-30012 16. DATE T.D. REACHED 17. DATE COMPL. (Ready to prod.) 9-20-82 21. PLUG, BACK T.D., MD & TVD 22. IF MULTIPLE COMPL., 23. INTERVALS ROTARY TOOLS DRILLED BY 475 1 THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD) 25. WAS DIRECTIONAL SURVEY MADE NOI CASING RECORD (Report all strings set in well) CASING SIZE WEIGHT, LB./FT. DEPTH SET (MD) HOLE SIZE CEMENTING RECORD AMOUNT PULLED LINER RECORD TUBING RECORD SIZE TOP (MD) BOTTOM (MD) SACKS CEMENT* SCREEN (MD) SIZE DEPTH SET (MD) PACKER SET (MD) 31. PERFORATION RECORD (Interval, size and number) ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED 33.* PRODUCTION DATE FIRST PRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumping-size and type of pump) HOURS TESTED CHOKE SIZE PROD'N. FOR OIL-BAL. 2" ofer O -CALCULATED 24-HOUR BATE GAS-MCF. 288.57 BRA 34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) 35. LIST OF ATTACHMENTS foregoing and attached information is complete and correct as determined from all available records SIGNED DATE W

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State of the times 22 and 24, and 35, below regarding separate reports for separate completions.

If not of separate the time this summary record is submitted, copies of all currently available logs (drillers, semple and ore analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Hem 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Hem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Hem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Interval, or altervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 83. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Hem 29: "Sacks Genent": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Hem 33: Submit a separate completion report on this form for each interval to be separately produced. (See Instruction for items 22 and 24 above.)

PORMATION	L TESTED, CUSHION	F USED, TIME TOOL OF	DEPTH INTERVAL TESTED, CUSSION USED, TIME TOOL OPEN, PLOWING AND SHUT-IN PRESSURES, AND RECOVERISE REMATION TOP REMATION		101
) /N/		1/2///	0	BR7x	MEAS. DEPTE TAUR VELL DEPTE
of lake) } 	3	Some Xoo	NAXE	
				wild	
				É	
	`.			,	
	· .				
	· · · · · ·				
		•			
				¥	